

## Measuring and weighing without contact

Technology based on superconductors for laboratory application

**Highly pure, sterile processes are a key challenge for the industrial production – especially in food processing and the pharmaceuticals and medical technology industries, but also in the electronics sector. To keep manufacturing processes as free from contamination as possible, the workpieces and the workroom should be separated from each other. This can be achieved with superconductor-based levitation. Festo will be showing its concept for non-contact weighing and measuring at Achema 2022.**

Particularly in cleanrooms, surfaces must be sealed, and be able to be easily and effectively cleaned and disinfected. The working equipment present the biggest challenge here: from test tubes to distillation columns, they are introduced from the outside and can bring in germs. Moreover, the contact surfaces on their bases develop minute cracks that are difficult to keep clean. The use of levitation technology based on magnetic fields – for example superconductor technology – can dispense with such problems in future.

### SupraSensor: measuring and weighing without contact

One of the many possibilities is shown by the SupraSensor, an exhibit presented by Festo at the Achema 2022 trade fair. It demonstrates the function of a contactless balance, which could be used for example on safety workbenches in biological or chemical analytics. This concept allows various physical quantities, such as weight, density, viscosity or temperature, to be measured using a force-based measuring system.

### Possibility of application in laboratory environment

The technology carrier is attracting great interest among users. One application example would be a protected workstation for production or the laboratory environment, in which the SupraSensor is integrated as a non-contact scale. Maximum operator protection and good cleanability are very important here. With the floating weighing pan, both requirements can be implemented very well, since the complete technology is protected and not contaminated.

### Easy-to-clean

“In a laboratory environment, workplace surfaces remain clear of apparatus and can therefore be effectively and easily cleaned, since everything except the carrier for the item to be weighed can be screened from the surroundings,” explains Michael Schöttner, Head of SupraMotion projects at Festo. “Only the weighing pan carrying the item hovers over the table top – without the danger of cross-contamination via the workplace surface or tools.” Both can be decoupled from the surroundings without vibration.

12. February 2018

Responsible  
according to press  
law:  
Christian Österle



Download/View press  
release and press  
images.

If the pan is not needed, it can be removed and the entire working space of the sterile workbench becomes available. This is made possible by the special property of superconductors, which can fix magnets suspended at a certain distance when cooled to a certain temperature. The exhibit thus impressively demonstrates how separate workspaces and work equipment, including sensors, can be coupled together without contact.

### **Applications in medical technology**

In addition to purely measuring and weighing, this technology offers numerous further possibilities such as analytical determination of density or viscosity, precise metering or the surveillance of reactive or biological processes. “The possibility of handling objects without contact and thus completely free of contamination is of great interest above all in medical technology. Since no friction arises, measurements are not falsified and are absolutely precise,” says Dr Frank Jacob, Head of the LifeTech Business Unit at Festo. The technology is very robust and stable both spatially and temporally: the material-intrinsic levitation function does not require any control technology and remains in place for a long time even if the power supply is interrupted.

### **Superconductors: materials with special characteristics**


Superconductors are materials that can store the field of a permanent magnet at a defined distance below a certain temperature. With this effect, objects can be held in position and moved free of contact. The levitation gap remains stable even beyond walls. Thanks to its restoring forces, the superconductive magnetic bearing components autonomously return to their stored positions, even if one of them is temporarily removed – without the need for external regulation technology. The technology is very robust and stable in terms of both space and time: the levitation function, which is intrinsic to the material, does not require any regulation technology and remains stable over long periods, even if the power supply is interrupted.

### **Press Images**




#### **SupraSensor**

SupraSensor: contactless measuring and weighing with superconductor technology.



### **SupraSensor: Messen mit Supraleitung**

The concept SupraSensor allows various physical quantities, such as weight, density, viscosity or temperature, to be measured using a force-based measuring system.



### **SupraTransport\_1**

An L-shaped workpiece carrier hovers above a magnetic rail with a large gap thanks to a permanent magnet on its underside – stabilised by superconductor technology.



### **SupraTransport\_2**

An L-shaped workpiece carrier hovers above a magnetic rail with a large gap thanks to a permanent magnet on its underside – stabilised by superconductor technology.